

International Journal of
ELECTRONICS

Theoretical and Experimental

Editor: P. A. LINDSAY, D.Sc(Eng.), Ph.D., F.C.G.I., C.Eng., F.I.E.E., F.Inst.P.

Associate Editors: PROFESSOR B. CULSHAW, B.Sc., Ph.D., C.Eng., M.I.E.E.

PROFESSOR V. L. GRANATSTEIN, B.S., M.S., Ph.D. (U.S.A.)

PROFESSOR H. L. HARTNAGEL, D.Eng., Ph.D., Dipl.-Ing. (Continental Europe)

PROFESSOR SHOICHI ONO, B.E., M.S., D.Eng. (Japan)

Consultant Editor: PROFESSOR SIR NEVILL MOTT, M.A., D.Sc., F.Inst., F.R.S.

Editorial Board

| | |
|----------------|--------------------------------|
| France - - - | Professor P. AIGRAIN |
| U.K. - - - - | Dr. J. E. ALLEN |
| West Germany - | Dr.-Ing. J. BRETTING |
| U.K. - - - - | Professor J. E. CARROLL |
| U.S.A. - - - - | Professor M. CHODOROW |
| U.K. - - - - | S. DEMOKAN |
| U.K. - - - - | Professor K. G. EMELEUS |
| France - - - | Dr. M. GOLDMAN |
| West Germany - | Professor Dr.rer.nat. W. HARTH |
| U.K. - - - - | Professor C. A. HOGARTH |
| U.S.A. - - - - | Dr. H. KOGELNIK |
| U.S.A. - - - - | Dr. J. M. LAFFERTY |
| U.K. - - - - | C. A. MAY |
| France - - - | G. MOURIER |
| U.K. - - - - | D. H. ROBERTS |
| U.S.A. - - - - | Professor L. D. SMULLIN |
| U.K. - - - - | Dr. D. T. SWIFT-HOOK |
| U.K. - - - - | P. E. TRIER |
| Japan - - - - | Dr. M. UENOHARA |
| Sweden - - - | Professor P. WEISSGLAS |
| U.S.A. - - - - | Professor J. R. WHINNERY |

Volume LXIII

July 1987 to December 1987



Taylor & Francis
London and Philadelphia

Subscription Information

International Journal of Electronics (ISSN 0020-7217) is published monthly by Taylor & Francis Ltd, 4 John Street, London WC1N 2ET, UK.
Annual Subscription 1988 £295, US\$530.

Second class postage paid at Jamaica, New York 11431.

USA Postmasters: Send address changes to *International Journal of Electronics*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

Air freight and mailing in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

Printed in UK by Taylor & Francis (Printers) Ltd, Rankine Road, Basingstoke, Hampshire RG24 0PR, UK.

Dollar rates apply to subscribers in all countries except the UK and the Republic of Ireland where the pound sterling price applies. All subscriptions are payable in advance and all rates include postage. Journals are sent by air to the USA, Canada, Mexico, India, Japan and Australasia at no extra cost. Subscriptions are entered on an annual basis, i.e. January to December. Payment may be made by sterling cheque, dollar cheque, international money order, National Giro, or credit card (Amex, Visa, Mastercard/Access).

Orders originating in the following territories should be set direct to the local distributor. **Australia:** R. Hill & Son Ltd, 117 Wellington Street, Windsor, Victoria 3181. **New Zealand:** R. Hill & Son Ltd, Private Bag, Newmarket, Auckland 1. **India:** Universal Subscription Agency Pvt. Ltd, 101-102 Community Centre, Malviya Nagar Extn Post Bag No. 8, Saket, New Delhi 110017. **Japan:** Kinokuniya Company Ltd, Journal Department, PO Box 55, Chitose, Tokyo 156. **USA, Canada and Mexico:** Taylor & Francis, Inc., 242 Cherry Street, Philadelphia, Pennsylvania 19106-1906. **UK and all other territories:** Taylor & Francis Ltd, Rankine Road, Basingstoke, Hampshire RG24 0PR.

Advertisements

All enquiries to Taylor & Francis Ltd, Basingstoke (0256) 840366 or Taylor & Francis New York Inc (212) 8671490.

Copyright © 1987 Taylor & Francis Ltd

All rights reserved. Authors are themselves responsible for obtaining permission to reproduce copyright material from other sources and are required to sign a form for agreement of the transfer of copyright. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, or by any means, electronic, electrostatic, magnetic, mechanical, photocopying, recording or otherwise, without prior permission in writing from the copyright holder. All requests from third parties to reprint material held in copyright by Taylor & Francis must be referred to the author for consent as a condition of the granting by Taylor & Francis of permission for reproduction. 0001-8732/87 \$5-00 © 1987 Taylor & Francis Ltd.

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Taylor & Francis Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee is paid directly to CCC, 27 Congress Street, Salem, Massachusetts 01970, USA. (For fee per article see copyright code above.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising, for creating new collective works, or for resale. Fees for past articles are the same as those shown for current articles.

NUMBER 1—JULY

Circuit techniques and analysis

- 1 Development of a thick-film tunable *RC*-active filter using segmented resistors. P. K. KHANNA, S. K. BHATNAGAR and M. L. SISODIA

Semiconductor devices

- 9 Invited paper. Current processing circuits with translinear operational current amplifiers. A. FABRE and P. ROCHEGUDE

Gas discharge and vacuum devices

- 29 Theory of the multi-cavity phase locked gyrotron oscillator. W. M. MANHEIMER
- 49 Electron-optic effects and X-ray generation in switching high-voltage vacuum-tube design. C. K. PETERSEN, W. BRUNHART and R. D. PETERS
- 55 Persistence of afterflow maintained by a radiofrequency field in a mercury arc. S. N. SEN, S. K. SADHYA, M. GANTAIT and D. C. JANA

Physical electronics

- 61 Semiconductor electronic concepts for neural network emulation. D. D. COON and A. G. U. PERERA
- 71 Xerographic discharge techniques for the investigation of charge transport in high resistivity materials. S. M. VAEZI-NEJAD

Signals, data and communications

- 89 Hard limiter amplitude modulators and demodulators. M. T. ABUELMA'ATTI and W. A. ALMANSOURY

Instrumentation

- 97 Measurement of phase shift for a wide range of frequencies. M. N. ABU AL-KHAIL, T. I. AL-MAHDAWI, T. A. RAFIK and M. N. AL-TIKRITI
- 105 Research note. An improved stabilization circuit for high current magnets used in NMR experiments. K. J. WILSON, C. RAGHAVAN and C. P. G. VALLABHAN

Waveguides

- 109 Some simplified methods for waveguides loaded with lossy dielectrics. X. YANSHENG

Power electronics

- 117 High efficiency power source for HF electric process heating applications. S. HINCHLIFFE, K. THOMAS and L. HOBSON
- 123 Analysis of transient and steady-state process in *LC* chopper. M. A. SLONIM and Z. KREMER
- 135 Modified triangulation methods for fluctuating inverter input voltage. J.-Y. LEE and Y.-Y. SUN

Optoelectronics

- 153 Thermal impedance measurement of laser diode chips using electrical methods only. T. SZIRÁNYI

NUMBER 2—AUGUST

- 161 Editorial
- 163 A system design method from programming logic to multiple-valued logic. D. C. RINE
- 171 Minimization of multivalued logic functions. T. A. GUIMA and M. A. TAPIA
- 185 Multivalued differential calculus and its application in fault analysis. M. A. TAPIA and T. A. GUIMA
- 197 Applications of multi-valued logic to testing of binary and MVL circuits. M. SERRA
- 215 New logical-sum and logical-product circuits using CMOS transistors and their applications to four-valued combinational circuits. T. WATANABE, M. MATSUMOTO and T. LI
- 229 On the design of CMOS ternary logic circuits using T-gates. B. P. CHEW and H. T. MOUFTAH
- 241 Ternary logic based on a novel MOS building block circuit. H. M. AYTAC
- 253 Quaternary unary operators. G. KRISHNAN and A. P. SHIVAPRASAD
- 269 Four-valued interface circuits for NMOS VLSI. A. D. SINGH
- 281 Analogue-to-quaternary converters. G. KRISHNAN and A. P. SHIVAPRASAD

NUMBER 3—SEPTEMBER

Antennas and electromagnetic radiation

- 291 Design of a single layer frequency-selective surface. C. K. LEE and R. J. LANGLEY
- Circuit techniques and analysis**
- 297 On conservation expressions in dispersive, lossy media and their relationships to circuit theory. J. C. FREEMAN
- 307 Digital FIR filtering with residue number system. V. P. PARDIKAR, M. TUMMALA and B. V. RAO

- 317 Control and mapping algorithms for a double tree (DOT) network. R. MITTAL and N. K. NANDA
- 331 Research note. A new OTA-based active-C oscillator. M. T. ABUELMA'ATTI and R. H. ALMASKATI
- 335 Research note. New enhanced Q low pass filter and general biquad. A. BARUA

Coding, computer and algorithms

- 339 A simplified decoding algorithm for double-error-correcting Reed-Solomon codes. A. KATSAROS
- 345 A modified LMS algorithm for fast processing—analysis and realization. M. TUMMALA and B. V. RAO
- 353 Xiao map for minimization of boolean expression. X. YONG-XIN

Semiconductor devices

- 359 Optimum noise source impedance determination for GaAs FETs at room and cryogenic temperatures. R. C. ROBERTSON and T. T. HA
- 371 Research note. Curve fitting of a junction capacitance. C. J. F. RIDDERS

- 375 Analytical current-voltage characteristics of space-charge-limited currents for a non-linear velocity-field relationship. G. SH. GILDENBLAT and S. S. COHEN
- Gas discharge and vacuum devices**
- 379 Coupled cavities with mode conversion in gyrotrons. V. G. PAVEL'EV, SH. E. TSIMRING and V. E. ZAPEVALOV
- Physical electronics**
- 393 First-order analysis of thermal velocities for non-axisymmetric display-tube electron beams. J. VINE
- Signals, data and communications**
- 401 Highly efficient passive frequency doublers in the L and S bands implemented by step recovery diodes. J. GAVAN and A. PELED
- 409 Spectral analysis of a synchronized delta modulator PWM inverter. C. F. CHRISTIANSEN, M. I. VALLA, and C. H. RIVETTA
- 419 Rectangular-to-polar analogue-to-digital convertor. K. M. IBRAHIM and M. A. H. ABDUL-KARIM
- Instrumentation**
- 425 Microprocessor-based temperature indicator using a thermistor as the sensor. C. RAMESHU and A. P. SHIVAPRASAD
- Waveguides**
- 435 Analysis of a cylindrical cavity resonator with absorbing wall. A. HADIDI and M. HAMID
- Power electronics**
- 443 A voltage fed transistorized induction heating power supply. S. HINCHLIFFE and L. HOBSON
- 455 Microcomputer-controlled sampling digital power, rms and PF meter. S. S. OMRAN, S. M. R. TAHA and M. A. H. ABDUL-KARIM
- 463 Research note. A high voltage solid state power supply system for a CW CO₂ laser with current stabilization. M. K. SATHEESHKUMAR, C. RAGHAVAN and C. P. G. VALLABHAN

NUMBER 4—OCTOBER

Antennas and electromagnetic radiation

- 467 Computation of the diffraction field using asymptotic surface field solutions. C.-F. HUANG and F.-L. CHU
- 479 Symmetrical dielectric loading on *E*- and *H*-plane walls of a rectangular horn for pattern shaping. R. A. NAIR

Circuit techniques and analysis

- 489 Singular perturbation applied to the relaxation oscillations of the Van der Pol oscillator. Y.-C. WANG
- 499 A new switched-capacitor high pass filter realization using the MLDD transformation. S. S. PENBEÇI and K. M. FIDANBOYLÜ
- 509 Research note. Two-minimum-component single current conveyor RC oscillators. M. T. ABUELMA'ATTI

Coding, computers and algorithms

- 513 Quaternary adder, subtractor, and multiplier using quaternary multiplexer. G. KRISHNAN and A. P. SHIVAPRASAD

Semiconductor devices

- 533 An improved transient characterization of three terminal microwave oscillators. A. MEDIAVILLA, A. TAZÓN and J. L. GARCIA
- 541 Analysis of avalanche breakdown in bipolar transistors based on majority carrier transportation. K. RAMKUMAR and M. SATYAM

Gas discharge and vacuum devices

- 553 Research note. The devil's staircase effect for gaseous conductors. K. G. EMELEUS

Physical electronics

- 555 Roots and ramifications of a unified theory of electrical conduction in p-n junctions, heterojunctions, and solar cells. M. A. MELEHY
- 573 Alternating current electrical properties of evaporated cerium dioxide films. Z. T. AL-DHHAN and C. A. HOGARTH
- 587 Analysis of electric field distributions in ultra-shallow silicon junctions under thermodynamic equilibrium conditions. A. P. SILARD

Signals, data and communications

- 601 The use of delta sigma sequences in spectrum analysis. E. C. GEORGIOUDIS and D. LAGOYANNIS
- 607 Non-stationary signal analysis by least mean fourth (LMF) adaptive algorithm. S. V. NARASIMHAN

Power electronics

- 623 Computer simulation of a high frequency transistorized induction heating power supply. D. W. TEBB and L. HOBSON
- 631 CMOS digital wattmeter design. Z. M. A. ISMAIL and M. A. H. ABDUL-KARIM

 NUMBER 5—NOVEMBER
Antennas and electromagnetic radiation

- 643 Electromagnetic energy absorption by a moving conductor plane. A. MOR and S. GAVRIL

Circuit techniques and analysis

- 655 Loeb's criterion and 'latch-up' effect in second order oscillators with single OA. P. A. MARTINEZ, A. CARLOSENA and J. BARQUILLAS
- 661 Some studies of mixed oxide thin film transistors. P. SINGH and B. BAISHYA
- 669 Research note. Two new minimum-component Wien-bridge oscillators using current-conveyors. M. T. ABUELMA'ATTI and N. A. HUMOOD

Coding, computers and algorithms

- 673 Research note. Isotopic jet as a perfect random number generator. A. A. BEREZIN

Semiconductor devices

- 677 Testing for stuck-at-faults in CMOS circuits. A. A. ISMAEEL and Z. NAJEM

Gas discharge and vacuum devices

- 687 The non-linear theory of fluorescent lamp circuits. E. GLUSKIN

Physical electronics

- 707 Electrical conduction and observation of local defects in thin sandwich structures of Cu-SiO/CeO₂-Cu. Z. T. AL-DHHAN and C. A. HOGARTH
- 723 Investigation of the majority carriers diffusion coefficients behavioural pattern in degenerately-doped silicon. A. P. SILARD and M. J. DUTĂ
- 733 Field dependence of optical band gap in manganese phosphate glasses. S. A. SIDDIQI, I. AHMED and S. NASEEM

Instrumentation

- 739 A simple digital impedance magnitude measurement. K. M. IBRAHIM and M. A. H. ABDUL-KARIM

Waveguides

- 741 Reduction of losses in dielectric waveguide Y-junctions with wide aperture angles. M. A. SOLANO, A. PRIETO and J. RODRIGUEZ
- 751 Excitation of co-planar waveguide by slotline. N. M. H. EL MINYAWI

Power electronics

- 757 A simple non-saturated multivibrator for low voltage power supply. I. M. FILANOVSKY and V. A. PISKAREV
- 767 Exact transient solution of the boost converter computed using the alternor equations. A. IOINOVICI
- 773 Analysis of the 3-LDF-PPM inverter drive scheme. J. THEOCHARIS and V. PETRIDIS
- 789 Novel switch-parallel current commutation scheme for DC chopper with minimum energy loss. G. DE and M. S. MOHIYADEEN

Optoelectronics

- 801 Invited paper. Beam diffraction by a random phase screen. R. H. CLARKE

 NUMBER 6—DECEMBER
Antennas and electromagnetic radiation

- 819 Time-harmonic and time-dependent radiation by bifractal dipole arrays. A. LAKHTAKIA, V. K. VARADAN and V. V. VARADAN
- 825 Performance of short-backfire antenna with different excitation sources. A. A. KISHK and L. SHAFAT

Circuit technique and analysis

- 833 Generalized equiripple all-pole lowpass filters. R. P. CASTAGNO and P. ARONHIME

Coding, computers and algorithms

- 851 The simple methods for evaluating the coefficients of the canonical RM expansion of multivalued functions. Z. HU
- 857 Discrete word recognition using energy-time profiles. W. M. LAI, P. C. CHING and Y. T. CHAN
- 867 Research note. A CMOS cell for parallelly loadable counters. S. SAIT and M. A. KULAIB

Semiconductor devices

- 873 Parameter extraction and optimization for MOSFET models. B. D. LIU, J. Y. LEE and H. H. WANG
- 885 Noise generator with programmable distribution. M. K. MAHMOOD and J. W. ABDUL-SADA

Instrumentation

- 891 Microprocessor-based temperature indicator using platinum resistance as the sensor. C. RAMESHU and A. P. SHIVAPRASAD
- 905 Digital magnetic fluxmeter using unijunction transistor probe. S. L. AGRAWAL, D. P. SAHA, R. SWAMI and R. P. SINGH

Waveguides

- 911 Two-section impedance transformer with arbitrary length. G. CHEN and M. HAMID

Power electronics

- 921 Analysis of transient and steady-state processes in DC-DC buck-boost converter. M. A. SLONIM and Z. M. KREMER
- 947 Analogue-to-digital armature current transducer for chopper-fed DC motor drives. J. NIEZNAŃSKI and A. PLOTKA
- 951 Pulse width modulation method of a single-phase multilevel inverter. K. OGUCHI, T. KUSAKABE and F. SUDO
- 961 Sinusoidal pulsewidth modulation with multimode control. Y. Y. TZOU and Y. C. WU
- 981 Subject index
- 985 Author index